

JACK-UP BARGES AND DRILLING RIGS FOR SALE OR CHARTER

JACK UP OIL RIG for sale

Specifications

Length over all:	205FT
Beam:	205FT

Construction:

Hull: 205' X 205' X 23'6"

Leg Height: 350' (3 legs)

Draft: 9.2'

Max. Wind Speed: 70 knots

Max. Wave Height: 6 ft. (towing)

Heliport: 60' diameter.

Derrick: 147' X 30' X 30'

Storage: Mud & Cmt Bulk – 6,500 cf & 2500 sks, Liquid mud 1588 bbl, Fuel – 1700 bbl, Water for drilling – 4500 bbl, Potable 1800 pbl

+++++

FOR SALE THE FOLLOWING JACK UP RIGS.

JACK UP RIG - 2 UNITS

PRICE: CAN GUIDE ON PRICE AND DELIVERY DATES

2 x PARTLY-FINISHED JACK UP OIL RIGS SUPER M2 DESIGNED BY F&G.

THE SUPER M2 IS A SELF-ELEVATING DRILLING UNIT, DESIGNED FOR ALL YEAR BENIGN CONDITIONS IN ACCORDANCE WITH ABS ASSESSMENT CRITERIA AND IS BASED ON THE VERY SUCCESSFUL F&G L780 MOD II JACKUP DESIGN.

JACK UP DRILLING OIL RIG, CANTILEVER TYPE, 3000 HP

QUARTERS CAPACITY: 110 PERSONS

OPERATING WATER DEPTH: 300 FT [91.4 M]

DRILLING DEPTH: 25000 FT [7.620 M]

MAX. DRILLING VARIABLE DECK LOAD: 9000 KIPS [4083 M. TONS]

MAX. SURVIVAL DECK LOAD: 6000 KIPS [2722 M. TONS]

MAX. COMBINED DRILLFLOOR LOAD: 2200 KIPS [998 M. TONS]

LENGTH OVERALL: 206 FT [62.8 M]

WIDTH OVERALL: 183 FT [55.8M]

DEPTH OF HULL: 25 FT [7.6 M]

TOTAL LENGTH OF LEGS: 411 FT [125.3 M]

PROJECTION OF LEGS BELOW HULL DURING TOW: NONE

CENTER OF FWD. LEG TO CL OF AFT LEGS: 115 FT [35 M]

CENTER TO CENTER OF AFT LEGS: 120 FT [36.6 M]

SPUD CAN DIAMETER: 40 FT [12 M]

MAXIMUM CANTILEVER OUTREACH: 55 FT [17 M]

MAXIMUM DRILLFLOOR OFFSET: +/- 15 FT [+/- 4.6 M]

STORAGE CAPACITIES:

FUEL OIL: 4050 BBLs [644 CU.M]
DRILL WATER: 7600 BBLs [1208 CU.M]
POTABLE WATER: 2580 BBLs [410 CU.M]
BULK MUD/CEMENT: 10800 CU.FT [306 CU.M]
SACK STORAGE: 5000 SACKS

MUD CONDITIONING EQUIPMENT:
CASCADING SHAKER SYSTEM: FOUR CASCADING SHAKERS
VACUUM DEGASSER: ONE

WELL CONTROL EQUIPMENT:
BOP STACK: 18¾ 15000 PSI [47.6 CM 1055 KG/CM]
BOP SERVICE CRANE CAPACITY: 30 SHORT TON [27 M. TON]
BOP HANDLING CRANE CAPACITY: 125 SHORT TON [113 M. TON]
DIVERTER: 49½ IN [125.7 CM]

DRILLING EQUIPMENT:
DERRICK: 35 x 35 x 170 FT [10.7 x 10.7 x 51.8 M]
DRILL FLOOR DIMENSIONS: 44 x 69 FT [13.4 x 21.0 M]
MAX. SETBACK LOAD: 750 KIPS [340 M. TONS]
MAX. ROTARY LOAD: 1500 KIPS [681 M. TONS]
MAX. HOOK LOAD: 1500 KIPS [681 M. TONS]
MAX. COMBINED DRILL FLOORLOAD: 2600 KIPS [1179 M. TONS]
DRAWWORKS: 3000 HP [2237 KW]
TRAVELING BLOCK: 750 SHORT TON [680 M. TONS]
PIPEHANDLING SYSTEMS: VERTICAL (IN STANDS)
MUD PUMPS: THREE 2200 HP [7500 PSI]

CRANES AND WINCHES:
DECK CRANE: THREE PEDESTAL CRANES WITH 120 FT [36.6 M] BOOM
MOORING WINCHES: FOUR 2-SPEED WINCHES WITH 1500 FT [457 M]
OF 1.5/8 IN. WIRE ROPE

RIG POWER SYSTEM:
ENGINES: FIVE 3516 B-HD CATERPILLAR
EMERGENCY GENERATOR: ONE 3512 B CATERPILLAR

SAFETY EQUIPMENT:
LIFEBOATS: THREE 55 PERSON SOLAS APPROVED
LIFERAFTS: FOUR 35 PERSON SOLAS APPROVED

NOTE:
BOTH RIGS ARE SEMI-FINISHED AS BUYER DEFAULTED ON
PAYMENTS AND UNABLE TO COMPLETE THE CONTRACT.
BUILDER HAS NOW TAKEN THIS TWO PARTLY-BUILT RIGS
AND SEEKING BUYER/S WILLING TAKE OVER THE CONTRACT.

+++++

**[OILFIELD RIGS LAND/OFFSHORE AND WORKBOATS
3000HP SCR Fast Move Rig Package \(Ref#14006N\)](#)**

NEW 3000 HP RIG

Drawworks "Rebuilt" Nat'l 1625 UE, 3000 HP, grooved for 1-5/8" drill line with three (3) refurbished 752 series wound DC traction motors, Baylor 7838 Auxiliary Brake, make-up and breakout catheads. Mud Pumps Three (3) "New" Gardner Denver PZ-11 1600 HP packages each with master skid, two (2) "New" 752 series wound DC traction motors, drive sheaves, belts, belt guards, charge pump, liner wash system, etc.

Mast "New" DSI 152'x30'x1500K – Base Beam Cantilever Mast with crown containing seven (7) main cluster sheaves and one (1) fastline sheave. Mast to include racking board and raising lines.

Substructure "New" DSI 30' High Winch Raised 1,500,000# casing, 1,000,000# setback, complete with four (4) sets of stairs, v-door, etc.

Rig Power

"New" I.E.C. 5x5 SCR System/Control House with adequate MCC to operate the rig. Five (5) "New" Caterpillar 3512C diesel engines each with Caterpillar SR4B, 1750 KVA generator and radiator. Each Engine generator is set on a 10' wide x 40' long master skid with roof, muffler, etc. Two (2) "New" Gardner Denver 50 HP compressors, cold start, air dryer and two (2) volume tanks to be included. Top Drive "New" Canrig 750 Ton Top Drive – Model 1275AC with portable top drive tracking system.

Mud System

"New" 2000 BBL., Four (4) tank mud system complete with eleven (11) 10 HP agitators, two (2) 15 HP agitators, six (6) 5x6 centrifugal pumps with 75 HP motors, three (3) Derrick 503 shakers, one (1) Derrick Vacuum Degasser – 1200 gpm, one (1) Derrick 503 Mud Cleaner – 1200 gpm, two (2) High Shear Mud Hoppers.

Miscellaneous "New" Double Porch Driller's Side Doghouse "New" Mech./Warehouse Workshop "New" Canrig 750-Ton Traveling Block "New" American Block 37.5" Rotary Table "New" Deadline Anchor "New" Brake Cooling System Combo Unit complete with Brake Water Tank with two (2) 3x2 Charging Pumps with 20 HP motors, 81 Plate Heat Exchanger and Safety Alarm Package, 100 BBL Trip Tank with one (1) 3x2 Charging Pump with 30 HP Motor, Choke Manifold Skid. "New" 48"x22' Mud/Gas Separator with Transport Skid "New" Accum/Junk Bin Skid with "New" 7 Station Closing Unit. 13-5/8", 10000# Single and Double BOP 13-5/8", 5000# Annular Two (2) "New" 12,000 Gallon Fuel Tanks with transfer pumps Two (2) "New" 500 BBL Water Tanks "New" Five Star Surveyor Wireline Unit "New" Drill Line Spooler with 7500' of 1-5/8" Drill Line

Price: \$18,000,000

+++++

[NATIONAL 80B WORKOVER AND DRILLING RIG \(Ref#224\)](#)

Mounted on Keyway Slotted Barge

165' x 44' x 14 depth, 46' x 10' key slot, single drum, powered by (2) 12V71 (475 hp each) diesel engines, torque converter, 136' DSI mast 428,000#, Oilwell 350 hook/block, National T300 swivel, 27-1/2" rotary table, (2) PZ7 Gardner Denver 550 hp triplex mud pumps, Hydrill pulsation dampener, (1) Cat D379 diesel, (1) 16V71 Detroit diesel, (2) 115 kw diesel generator, 15 ton hydraulic crane, (2) Quincy air compressors, capacity drilling mud 1500 barrels, potable water 36,000 gallon, 530 barrel mud system

Located South USA , last used in February 2009.

For Sale on Make Offer Basis

+++++

Can secure the following JACK UP BARGE for sale or charter:

Offshore Self Elevated Platform, multi purposes

Built: 2006

Class: BV, class 1 3/3(E)

Dims:

Loa:66.60m

Lbp: 63.94m

Beam extreme: 35.80m

Grt: 2.493/ 748

Max water depth: 36m on hard soil

Min water depth: 3.0m

Free deck area: 2.000m²

Deck load cap: 8t/m²

Number of legs: 4 x Cylindrical (Diam: 2.5m, Length: 61.2m, Usable length: 52.1m)

This unit can be used in many different configurations as she does not have any fixed mach/equip installed.

The hull can be welded off against the legs and the jacking system removed.

Additional leg lengths can be installed and the water depth capability increased.

Lifting Crane (optional), Crawler 150t capacity can be accomodated on deck.

Indicative Chartering daily rate: US\$ 28.000 pdpr with all costs to ows exclusives

indicative Selling price ideas: in the region of US\$ 21million net to Seller (Negotiable to serious interests)

Vessel is currently in South Asia region.

ALL ABOVE DETAILS GIVEN IN GOOD FAITH, SUBJECT TO AVAILABILITY IN TIME OF YOUR INQUIRY AND WITHOUT GUARANTEE.

NOTE; IF YOU DO NOT FIND THE VESSEL YOU WANT FROM THIS LIST, PLEASE CONTACT US. WE HAVE MORE VESSELS FOR SALE.

GLOBAL CHIMAKS

Edif. 'THE HEIGHTS',

Apt. B110, Calle Rodeo.

38650 Los Cristianos,

Tenerife, Spain.

Web; www.globalchimaks.com

Email; tony@globalchimaks.com

tonychar5@yahoo.com

Tel; +34 650 869 504

Fax; +34 922 793 104